

**State of Wisconsin**  
**DEPARTMENT OF NATURAL RESOURCES**  
101 S Webster St  
PO Box 7921  
Madison, WI 53707-7921

**Tony Evers, Governor**  
**Karen Hyun, Ph.D., Secretary**  
Telephone 608-266-2621  
Toll Free 1-888-936-7463  
TTY Access via relay - 711



August 08, 2025

FID: 999971280

Anthony Haag  
White Water Associates, Inc.  
P.O. Box 27  
Amasa, MI 49903

Dear Anthony:

Enclosed is your new laboratory accreditation certificate and scope of accreditation. These documents supersede all previous versions.

Your scope of accreditation is an important document because it identifies the parameters, by technology, for which your laboratory maintains accreditation in the aqueous and non-aqueous matrices. If your laboratory is certified in the drinking water matrix, the scope of accreditation also identifies the parameters and methods for which your laboratory is certified. It is critical that the scope of accreditation be reviewed carefully for errors. **It is your responsibility to make sure that the scope of accreditation agrees with your understanding of the matrices, technologies, parameters, and any drinking water methods for which your laboratory maintains accreditation in Wisconsin.**

If you believe that your Scope of Accreditation contains errors or you would like to discuss how to get reinstatement for any lost parameters, contact the Laboratory Accreditation Program Chemist immediately at 920-412-5970 or by email at [Tom.Trainor@wisconsin.gov](mailto:Tom.Trainor@wisconsin.gov).

Sincerely,

Zana Sijan, Manager  
Certification Services

# The State of Wisconsin Department of Natural Resources

has granted

**Accreditation under NR 149**

to


***White Water Associates, Inc.***

***FID: 999971280***

The laboratory is accredited to perform environmental sample analysis in support of covered environmental programs per matrix for the combination of analyte and technology or analyte and method as specified in the attached Scopes of Accreditation.

**Printed on: August 08, 2025**

**Expires on: August 31, 2026**



*Zana Sijan*

Zana Sijan, Manager  
Certification Services



This certificate does not guarantee validity of data generated, but indicates the methodology, equipment, quality control practices, records, and proficiency of the laboratory have been reviewed and found to satisfy the requirements of chapter NR 149, Wisconsin Administrative Code.



# Wisconsin Scope of Accreditation

Laboratory FID: 999971280  
 CERTIFICATION  
 Aqueous (Non-potable Water)

**White Water Associates, Inc.**  
 429 River Lane  
 Amasa, MI 49903

**Printed on: 8/8/2025**  
**Expires on: 8/31/2026**

<b>Oxygen Demand Assays (BOD or cBOD)</b>	<b>Biochemical Oxygen Demand (BOD)</b>
	<b>Carbonaceous Biochemical Oxygen Demand (cBOD)</b>
<b>Colorimetric or Turbidimetric</b>	<b>Alkalinity</b>
	<b>Chemical Oxygen Demand (COD)</b>
	<b>Chloride</b>
	<b>Chlorophyll</b>
	<b>Kjeldahl Nitrogen, Total</b>
	<b>Nitrate</b>
	<b>Nitrate + Nitrite</b>
	<b>Nitrite</b>
	<b>Orthophosphate</b>
	<b>Phosphorus, Total</b>
	<b>Silica</b>
	<b>Sulfate</b>
<b>Electrometric Assays (ISE)</b>	<b>pH</b>
	<b>Specific Conductance</b>
<b>Gravimetric Assays - Residue (solids)</b>	<b>Residue, Filterable (TDS)</b>
	<b>Residue, Nonfilterable (TSS)</b>
	<b>Residue, Total (Total Solids)</b>
<b>Inductively Coupled Plasma Emission Spectrophotometry (ICP)</b>	<b>Aluminum</b>
	<b>Calcium</b>

This laboratory is accredited under NR 149 to perform environmental sample analysis in support of covered environmental programs for the combination of analyte or analyte group and technology in the aqueous and non-aqueous matrices and analyte or analyte group and method in the drinking water matrix as specified in this Scope of Accreditation.



# Wisconsin Scope of Accreditation

Laboratory FID: 999971280  
CERTIFICATION  
Aqueous (Non-potable Water)

<b>Inductively Coupled Plasma Emission Spectrophotometry (ICP)</b>	<b>Copper</b>
	<b>Hardness, Total as CaCO<sub>3</sub></b>
	<b>Iron</b>
	<b>Lithium</b>
	<b>Magnesium</b>
	<b>Potassium</b>
	<b>Sodium</b>
<b>Inductively Coupled Plasma-Mass Spectrometry (ICP/MS)</b>	<b>Antimony</b>
	<b>Arsenic</b>
	<b>Barium</b>
	<b>Cadmium</b>
	<b>Chromium, Total</b>
	<b>Cobalt</b>
	<b>Lead</b>
	<b>Molybdenum</b>
	<b>Nickel</b>
	<b>Selenium</b>
	<b>Thallium</b>
	<b>Vanadium</b>

This laboratory is accredited under NR 149 to perform environmental sample analysis in support of covered environmental programs for the combination of analyte or analyte group and technology in the aqueous and non-aqueous matrices and analyte or analyte group and method in the drinking water matrix as specified in this Scope of Accreditation.



# Wisconsin Scope of Accreditation

Laboratory FID: 999971280  
**CERTIFICATION**

Non-Aqueous (Biosolids, Leachates, Soils, Tissues, & Wastes)

**White Water Associates, Inc.**  
**429 River Lane**  
**Amasa, MI 49903**

**Printed on: 8/8/2025**  
**Expires on: 8/31/2026**

<b>Colorimetric or Turbidimetric</b>	<b>Chloride</b>
	<b>Kjeldahl Nitrogen, Total</b>
	<b>Nitrate</b>
	<b>Nitrate + Nitrite</b>
	<b>Nitrite</b>
	<b>Orthophosphate</b>
	<b>Phosphorus, Total</b>
	<b>Sulfate</b>
<b>Electrometric Assays (ISE)</b>	<b>pH</b>
<b>Gravimetric Assays - Residue (solids)</b>	<b>Residue, Total</b>
<b>Inductively Coupled Plasma Emission Spectrophotometry (ICP)</b>	<b>Aluminum</b>
	<b>Calcium</b>
	<b>Copper</b>
	<b>Iron</b>
	<b>Lithium</b>
	<b>Magnesium</b>
	<b>Potassium</b>
	<b>Sodium</b>
<b>Hazardous Waste Characteristics</b>	<b>Corrosivity, Liquids</b>

This laboratory is accredited under NR 149 to perform environmental sample analysis in support of covered environmental programs for the combination of analyte or analyte group and technology in the aqueous and non-aqueous matrices and analyte or analyte group and method in the drinking water matrix as specified in this Scope of Accreditation.