

White Water Associates Courier Services

Delta, Dickinson & Menominee Counties

- This service is weather dependent, if Winter Weather Advisories or Winter Storm Warnings are active in the U.P., call to check service is running.

Menominee County Health Department - Mondays ONLY pickup by 10:00 CST

Sample after 12:00 pm (noon) Sunday

909 10th Ave, Menominee, MI

DIDHD Kingsford –

Monday by 10:00 CST, Sample after 12:00 pm (noon) Sunday

Wednesday by 10:00 CST, Sample after 12:00 pm (noon) Tuesday

818 Pyle Dr, Kingsford, MI 49802

Escanaba WWTP –

Monday by 9:00 EST, Sample after 12:00 pm (noon) Sunday

Wednesday by 9:00 EST, Sample after 12:00 pm (noon) Tuesday

1900 Willow Creek Rd, Escanaba, MI

DIRECTIONS

- Leave samples in the box labelled White Water Associates.
- Be sure the sample is sealed shut.
- **Drinking Water Analysis available, call or see our website for a complete list:**

- Nitrate, Nitrite, Fluoride, Phosphate, Sulfate, Chloride
- Metals
- Hardness
- pH
- VOC, TTHM

- Pesticides, Herbicides
- PFAS
- Radiologicals: Gross Alpha, Radium 226, Radium 228
- CN
- Mercury
- Uranium

Coliform/E.coli/bacteria analysis:

- Samples MUST be received at the White Water Associates **laboratory** within **24 hours** of sampling.
- Samples do NOT require thermal preservation (no ice required, room temperature is acceptable).

Samples requiring thermal preservation: Nitrate, Nitrite

- You are responsible for thermal preservation of samples. Freeze the provided ICE bottle solid before dropping off the sample at the Health Department.
- Samples must be received at the White Water Associates **laboratory** within **30 hours** of sampling.
- **Other sample analysis may require thermal preservation and have a different hold time, call White Water Associates with questions.**

•

- **White Water Associates offers a full array of water analysis, please see our website, www.white-water-associates.com**

•

- **Questions?:** Call 906 822 7889, White Water Associates